



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES  
DIVISION OF ENVIRONMENTAL HEALTH  
CHILD CARE FACILITY  
INSPECTION REPORT**

<b>REASON</b>		<b>GRADE</b>	<b>Inspection Date:</b>	<b>ESTABLISHMENT NAME:</b>	
Regular	<input checked="" type="checkbox"/>	2	5/14/14	SHINING STARS LEARNING & DEVELOPMENT CENTER	
Follow-Up	<input type="checkbox"/>		<b>Time In/Out:</b>	<b>OWNER/OPERATOR:</b>	
Complaint	<input type="checkbox"/>		3:00pm   4:00pm	ROSARIO, JENNETH C	
Investigation	<input type="checkbox"/>		<b>Sanitary Permit No.:</b>	<b>LOCATION:</b>	<b>Establishment Type:</b>
Other:	<input type="checkbox"/>	A	20000-13000514	DEDEDO	CC/NURSERY
			<b>PERMIT STATUS:</b> <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired		
<b>No. of Children:</b> 5 Male 4 Female 9 Total			<b>Child Care License:</b> No.: 14096 / / Valid / / Provisional / / Expired		

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	NO PREVIOUS INSPECTION CONDUCTED		
	(NEW ESTABLISHMENT)		
	THE FOLLOWING WAS OBSERVED:		
*17	BROKEN TILE IN HANDICAP RESTROOM.	2	6/14/14
	ALL PHYSICAL FACILITIES SHALL BE KEPT		
	IN GOOD REPAIR TO PREVENT POTENTIAL		
	HAZARDS		
	PHOTOS WERE TAKEN		
	'A' PLACARD NO. 02562		
	BRIEFED PIC ON ABOVE		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:  
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

Jenneth Rosario Director/Owner  
DEH Inspector (Name & Title):

J. C. RIVERA 13P1701